


Safety Data Sheet (SDS)

# Multi Purpose Care Spray

AER1305 AER1300

| | |
|---|---|
| **Product name on SDS** | MULTI SPRAY |
| **Regulation** | REACH Annex II — Regulation (EU) 2020/878 · CLP (EC) 1272/2008 |
| **Revision / date** | Rev. 3 · 10.09.2024 |
| **Number of pages** | 15 |
| **Supplier** | Setkim Kimya İnş. Taah. Paz. San. Tic. Ltd. Şti. · Divortex / DVX |
| **Emergency** | +90 216 669 03 53 |
| **UFI** | WGJ1-G9DJ-Q00S-PS1K |

This cover page identifies the product. The following pages are the official Safety Data Sheet prepared in accordance with applicable regulations and are presented unchanged.

# Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

**1.1. Product identifier**

Code:

Product name **MULTI SPRAY**

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Intended use **not available**

**1.3. Details of the supplier of the safety data sheet**

Name **SETKIM KIMYA INS.TAAH.PAZ.SAN.TIC.LTD.STI.**

Full address **İstanbul Deri Organize Sanayi Bölgesi V1 Nolu Parsel Fikse Cad. No:20**

District and Country **34935 Tuzla / İstanbul (Türkiye)**

**TR**

**Tel. tel. +90 216 669 03 53**

**Fax Fax +90 216 669 03 50**

e-mail address of the competent person responsible for the Safety Data Sheet **info@divortex.com.tr**

**1.4. Emergency telephone number**

For urgent inquiries refer to **tel. +90 216 669 03 53**

## SECTION 2. Hazards identification

**2.1. Classification of the substance or mixture**

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.
Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

| | | |
|---|---|---|
| Aerosol, category 1 | H222 | Extremely flammable aerosol. |
| | H229 | Pressurised container: may burst if heated. |
| Carcinogenicity, category 1B | H350 | May cause cancer. |
| Aspiration hazard, category 1 | H304 | May be fatal if swallowed and enters airways. |
| Skin irritation, category 2 | H315 | Causes skin irritation. |

| | | |
|---|---|---|
| Specific target organ toxicity - single exposure, category 3 | H336 | May cause drowsiness or dizziness. |
| Hazardous to the aquatic environment, chronic toxicity, category 2 | H411 | Toxic to aquatic life with long lasting effects. |

**2.2. Label elements**

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

| | |
|---|---|
| **H222** | Extremely flammable aerosol. |
| **H229** | Pressurised container: may burst if heated. |
| **H350** | May cause cancer. |
| **H304** | May be fatal if swallowed and enters airways. |
| **H315** | Causes skin irritation. |
| **H336** | May cause drowsiness or dizziness. |
| **H411** | Toxic to aquatic life with long lasting effects.<br>Restricted to professional users. |

Precautionary statements:

| | |
|---|---|
| **P210** | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| **P251** | Do not pierce or burn, even after use. |
| **P410+P412** | Protect from sunlight. Do no expose to temperatures exceeding 50°C / 122°F. |
| **P211** | Do not spray on an open flame or other ignition source. |
| **P331** | Do NOT induce vomiting. |

**P201** Obtain special instructions before use.

**Contains:** LUBRICATING OILS
DISTILLATES (PETROLEUM), HYDRO- TREATED LIGHT
BENZENE, MONO-C10-13-ALKYL DERIVS., DISTN. RESIDUES

**2.3. Other hazards**

On the basis of available data, the product does not contain any PBT or vPvB in percentage than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration 0.1%.

## SECTION 3. Composition/information on ingredients

**3.1. Substances**

Information not relevant

**3.2. Mixtures**

Contains:

| Identification | x = Conc. % | Classification (EC) 1272/2008 (CLP) |
|---|---|---|
| **PETROLEUM GASES, LIQUEFIED (1,3 BUTADIEN <%0,1)**<br>INDEX 50<br>CAS 68476-85-7 | x < 60 | Flam. Gas 1A H220, Press. Gas H280, Classification note according to Annex VI to the CLP Regulation: K, S, U |
| **DISTILLATES (PETROLEUM), HYDRO- TREATED LIGHT**<br>INDEX 649-422-00-2 25<br>EC 265-149-8<br>CAS 64742-47-8 | x < 30 | Flam. Liq. 3 H226, Asp. Tox. 1 H304, Skin Irrit. 2 H315, STOT SE 3 H336, Aquatic Chronic 2 H411 |
| **LUBRICATING OILS**<br>INDEX - 14 | | |

| | |
|---|---|
| x < 19 | Carc. 1B H350 |
| EC 278-012-2 | |
| CAS 74869-22-0 | |
| **BENZENE, MONO-C10-13-ALKYL DERIVS., DISTN. RESIDUES** | |
| INDEX - | |
| 5 | |
| x < 8 | Asp. Tox. 1 H304 |
| EC 284-660-7 | |
| CAS 84961-70-6 | |

The full wording of hazard (H) phrases is given in section 16 of the sheet.

The product is an aerosol containing propellants. For the purposes of calculation of the health hazards, propellants are not considered (unless they have health hazards). The percentages indicated are inclusive of the propellants.

Percentage of propellants: 0.00 %

## SECTION 4. First aid measures

**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.
SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.
INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.
INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

**4.2. Most important symptoms and effects, both acute and delayed**

Specific information on symptoms and effects caused by the product are unknown.

**4.3. Indication of any immediate medical attention and special treatment needed**

Information not available

## SECTION 5. Firefighting measures

**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT
The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.
UNSUITABLE EXTINGUISHING EQUIPMENT
None in particular.

**5.2. Special hazards arising from the substance or mixture**

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE
If overheated, aerosol cans can deform, explode and be propelled considerable distances. Put a protective helmet on before approaching the fire. Do not breathe combustion products.

**5.3. Advice for firefighters**

GENERAL INFORMATION
Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear.
SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS
Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## SECTION 6. Accidental release measures

**6.1. Personal precautions, protective equipment and emergency procedures**

Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site. Send away individuals who are not suitably equipped. Wear protective gloves / protective clothing / eye protection / face protection.

**6.2. Environmental precautions**

Do not disperse in the environment.

**6.3. Methods and material for containment and cleaning up**

Use inert absorbent material to soak up leaked product. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

**6.4. Reference to other sections**

Any information on personal protection and disposal is given in sections 8 and 13.

## SECTION 7. Handling and storage

**7.1. Precautions for safe handling**

Avoid bunching of electrostatic charges. Do not spray on flames or incandescent bodies. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Do not eat, drink or smoke during use. Do not breathe spray.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in a place where adequate ventilation is ensured, away from direct sunlight at a temperature below 50°C / 122°F, away from any combustion sources.

**7.3. Specific end use(s)**

Information not available

## SECTION 8. Exposure controls/personal protection

**8.1. Control parameters**

Regulatory references:

| | | |
|---|---|---|
| DEU | Deutschland | Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte.<br>MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56 |
| | TLV-ACGIH | ACGIH 2022 |

**DISTILLATES (PETROLEUM), HYDRO- TREATED LIGHT**

**Threshold Limit Value**

| Type | Country | TWA/8h | | STEL/15min | | Remarks / Observations |
|---|---|---|---|---|---|---|
| | | mg/m3 | ppm | mg/m3 | ppm | |
| MAK | DEU | 350 | 50 | 700 | 100 | SKIN |
| MAK | DEU | 5 | | 20 | | RESP |
| TLV-ACGIH | | 200 | | | | |

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

**8.2. Exposure controls**

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.
When choosing personal protective equipment, ask your chemical substance supplier for advice.
Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

The product must be used inside a closed circuit, in a well-ventilated environment and with strong localised aspiration systems in place.

HAND PROTECTION
None required.

SKIN PROTECTION
Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION
Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION
If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, a mask with a type AX filter combined with a type P filter should be worn (see standard EN 14387).
Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

ENVIRONMENTAL EXPOSURE CONTROLS
The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Product residues must not be indiscriminately disposed of with waste water or by dumping in waterways.

## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

| Properties | Value | Information |
|---|---|---|
| Appearance | Aerosol | |
| Colour | not available | |
| Odour | Characteristics | |
| Melting point / freezing point | not available | |
| Initial boiling point | not available | |
| Flammability | not available | |
| Explosive properties | There is a risk of explosion at temperatures above 50 ºC. | |
| Lower explosive limit | not available | |
| Upper explosive limit | not available | |
| Flash point | not available | |
| Auto-ignition temperature | not available | |
| Decomposition temperature | not available | |
| pH | not available | |
| Kinematic viscosity | not available | |
| Solubility | Insoluble in water | |
| Partition coefficient: n-octanol/water | not available | |
| Vapour pressure | not available | |
| Density and/or relative density | 0,68-0,70 gr/ ml | |
| Relative vapour density | not available | |
| Particle characteristics | not applicable | |

### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

**10.2. Chemical stability**

The product is stable in normal conditions of use and storage.

**10.3. Possibility of hazardous reactions**

No hazardous reactions are foreseeable in normal conditions of use and storage.

**10.4. Conditions to avoid**

Avoid overheating.

**10.5. Incompatible materials**

Strong reducing or oxidising agents, strong acids or alkalis, hot material.

**10.6. Hazardous decomposition products**

Information not available

## SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.
It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

| | |
|---|---|
| ATE (Inhalation) of the mixture: | Not classified (no significant component) |
| ATE (Oral) of the mixture: | Not classified (no significant component) |
| ATE (Dermal) of the mixture: | Not classified (no significant component) |

DISTILLATES (PETROLEUM), HYDRO- TREATED LIGHT

| | |
|---|---|
| LD50 (Dermal): | > 2000 mg/kg Rabbit |
| LD50 (Oral): | > 5000 mg/kg Rat |
| LC50 (Inhalation vapours): | > 5.28 mg/l Rat |

SKIN CORROSION / IRRITATION

Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

May cause cancer

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

May cause drowsiness or dizziness

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Toxic for aspiration

**11.2. Information on other hazards**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

## SECTION 12. Ecological information

This product is dangerous for the environment and is toxic for aquatic organisms. In the long term, it have negative effects on acquatic environment.

**12.1. Toxicity**

| | |
|---|---|
| DISTILLATES (PETROLEUM), HYDRO-TREATED LIGHT | |
| EC50 - for Crustacea | 1.4 mg/l/48h Daphnia magna |
| Chronic NOEC for Crustacea | 0.48 mg/l Daphnia magna |

**12.2. Persistence and degradability**

| |
|---|
| DISTILLATES (PETROLEUM), HYDRO-TREATED LIGHT |
| Entirely degradable |

**12.3. Bioaccumulative potential**

Information not available

**12.4. Mobility in soil**

Information not available

**12.5. Results of PBT and vPvB assessment**

On the basis of available data, the product does not contain any PBT or vPvB in percentage
than 0,1%.

**12.6. Endocrine disrupting properties**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

**12.7. Other adverse effects**

Information not available

## SECTION 13. Disposal considerations

**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
Waste transportation may be subject to ADR restrictions.
CONTAMINATED PACKAGING
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## SECTION 14. Transport information

**14.1. UN number or ID number**

ADR / RID, IMDG, IATA: 1950

**14.2. UN proper shipping name**

ADR / RID: AEROSOLS
IMDG: AEROSOLS
IATA: AEROSOLS, FLAMMABLE

**14.3. Transport hazard class(es)**

ADR / RID: Class: 2 Label: 2.1

IMDG: Class: 2 Label: 2.1



IATA: Class: 2 Label: 2.1



**14.4. Packing group**

ADR / RID, IMDG, IATA: -

**14.5. Environmental hazards**

ADR / RID: Environmentally Hazardous

IMDG: Marine Pollutant



IATA: NO

For Air transport, environmentally hazardous mark is only mandatory for UN 3077 and UN 3082.

**14.6. Special precautions for user**

| | | | |
|---|---|---|---|
| ADR / RID: | HIN - Kemler: -- | Limited Quantities: 1 L | Tunnel restriction code: (D) |
| | Special provision: - | | |
| IMDG: | EMS: F-D, S-U | Limited Quantities: 1 L | |
| IATA: | Cargo: | Maximum quantity: 150 Kg | Packaging instructions: 203 |
| | Passengers: | Maximum quantity: 75 Kg | Packaging instructions: 203 |
| | Special provision: | A145, A167, A802 | |

**14.7. Maritime transport in bulk according to IMO instruments**

Information not relevant

## SECTION 15. Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: P3a-E2

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 40

Contained substance

| | | |
|---|---|---|
| Point | 75 | |
| Point | 28 | Lubricating oils |

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this health-dangerous chemical agent must undergo sanitary checks carried out in compliance with 2004/37/EC directive.

**15.2. Chemical safety assessment**

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

## SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

| | |
|---|---|
| **Flam. Gas 1A** | Flammable gas, category 1A |
| **Aerosol 1** | Aerosol, category 1 |
| **Aerosol 3** | Aerosol, category 3 |
| **Flam. Liq. 3** | Flammable liquid, category 3 |
| **Press. Gas** | Pressurised gas |
| **Carc. 1B** | Carcinogenicity, category 1B |

| | |
|---|---|
| **Asp. Tox. 1** | Aspiration hazard, category 1 |
| **Skin Irrit. 2** | Skin irritation, category 2 |
| **STOT SE 3** | Specific target organ toxicity - single exposure, category 3 |
| **Aquatic Chronic 2** | Hazardous to the aquatic environment, chronic toxicity, category 2 |
| **H220** | Extremely flammable gas. |
| **H222** | Extremely flammable aerosol. |
| **H229** | Pressurised container: may burst if heated. |
| **H226** | Flammable liquid and vapour. |
| **H280** | Contains gas under pressure; may explode if heated. |
| **H350** | May cause cancer. |
| **H304** | May be fatal if swallowed and enters airways. |
| **H315** | Causes skin irritation. |
| **H336** | May cause drowsiness or dizziness. |
| **H411** | Toxic to aquatic life with long lasting effects. |

LEGEND:
- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY
1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament

9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:
The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.
This document must not be regarded as a guarantee on any specific product property.
The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.
Provide appointed staff with adequate training on how to use chemical products.
Prepared by: Fatma DOĞAN
Document Number: KDU-A-0-0243
Contact Information: info@divortex.com.tr
Document Validity Date: 25.08.2028
CALCULATION METHODS FOR CLASSIFICATION
Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.
Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.
Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:
The following sections were modified:
02 / 03 / 08 / 11 / 12 / 14 / 15 / 16.