


Safety Data Sheet (SDS)

# DVX PPF Unique Shampoo (1 L)

DVX1542

| | |
|---|---|
| **Product name on SDS** | PPF OTO YIKAMA ŞAMPUANI |
| **Regulation** | REACH Annex II — Regulation (EU) 2020/878 · CLP (EC) 1272/2008 |
| **Revision / date** | Rev. 1 · 10.03.2026 |
| **Number of pages** | 15 |
| **Supplier** | Setkim Kimya İnş. Taah. Paz. San. Tic. Ltd. Şti. · Divortex / DVX |
| **Emergency** | +90 216 669 03 53 |
| **UFI** | YD84-T0FX-N00R-MUH8 |

This cover page identifies the product. The following pages are the official Safety Data Sheet prepared in accordance with applicable regulations and are presented unchanged.

# Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

| | |
|---|---|
| Code: | **KODSUZ2316** |
| Product name | **PPF OTO YIKAMA ŞAMPUANI** |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|---|---|
| Intended use | **not available** |

### 1.3. Details of the supplier of the safety data sheet

| | |
|---|---|
| Name | **SETKIM KIMYA INS.TAAH.PAZ.SAN.TIC.LTD.STI.** |
| Full address | **İstanbul Deri Organize Sanayi Bölgesi V1 Nolu Parsel Fikse Cad. No:20** |
| District and Country | **34935 Tuzla / İstanbul (Türkiye)** |
| | **TR** |
| | **Tel. tel. +90 216 669 03 53** |
| | **Fax Fax +90 216 669 03 50** |

### 1.4. Emergency telephone number

| | |
|---|---|
| For urgent inquiries refer to | **tel. +90 216 669 03 53** |

## SECTION 2. Hazards identification

### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.
Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

| | | |
|---|---|---|
| Serious eye damage, category 1 | H318 | Causes serious eye damage. |
| Skin irritation, category 2 | H315 | Causes skin irritation. |

**2.2. Label elements**

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Danger

Signal words:

Hazard statements:

**H318** Causes serious eye damage.

Causes skin irritation.

**H315**

Precautionary statements:

**P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Wear protective gloves / eye protection / face protection.

**P280**

Immediately call a POISON CENTER / doctor / . . .

**P310**

Wash . . . thoroughly after handling.

**P264**

**Contains:** ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

Eksik Çeviri (WZ00017) <======= (*)<<Error>>Eksik Çeviri (WZ00017)

SODIUM HYDROXIDE

**2.3. Other hazards**

On the basis of available data, the product does not contain any PBT or vPvB in percentage than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration 0.1%.

## SECTION 3. Composition/information on ingredients

### 3.1. Substances

Information not relevant

### 3.2. Mixtures

Contains:

| Identification | x = Conc. % | Classification (EC) 1272/2008 (CLP) |
|---|---|---|
| **WATER**<br>INDEX -<br>EC 231-791-2<br>CAS 7732-18-5 | 80<br>x < 90 | |
| **ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS**<br>INDEX -<br>EC 500-234-8<br>CAS 68891-38-3 | 5<br>x < 8 | Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412 |
| **Eksik Çeviri (WZ00137) <=======**<br>**(*)<<Error>>Eksik Çeviri (WZ00137)**<br>INDEX -<br>EC 500-223-8<br>CAS 68585-34-2 | 4<br>x < 5 | Eye Irrit. 2 H319, Skin Irrit. 2 H315 |
| **Eksik Çeviri (WZ00002) <=======**<br>**(*)<<Error>>Eksik Çeviri (WZ00002)**<br>INDEX -<br>EC 271-657-0<br>CAS 68603-42-9 | 3<br>x < 4 | |
| **Eksik Çeviri (WZ00017) <=======**<br>**(*)<<Error>>Eksik Çeviri (WZ00017)**<br>INDEX<br>EC -<br>CAS 68515-73-1 | 2<br>x < 3 | Eye Dam. 1 H318 |
| **Eksik Çeviri (WZ00151) <=======**<br>**(*)<<Error>>Eksik Çeviri (WZ00151)**<br>INDEX -<br>EC 931-534-0<br>CAS 68439-57-6 | 2<br>x < 3 | Eye Irrit. 2 H319, Skin Irrit. 2 H315 |
| **SODIUM HYDROXIDE**<br>INDEX 011-002-00-6<br>EC 215-185-5 | 1<br>x < 2 | Skin Corr. 1A H314, Eye Dam. 1 H318<br><br>Skin Corr. 1B H314:<br>2%, Skin Irrit. 2 H315:<br>0.5%, Eye Dam. 1 H318: |

| | | |
|---|---|---|
| | | 2%, Eye Irrit. 2 H319: 0.5% |
| CAS 1310-73-2<br>**2-BUTOXYETHANOL**<br>INDEX 603-014-00-0<br>EC 203-905-0<br>CAS 111-76-2 | 1 x < 2 | Acute Tox. 3 H331, Acute Tox. 4 H302, Eye Irrit. 2 H319, Skin Irrit. 2 H315<br>LD50 Oral: 1200 mg/kg, LC50 Inhalation vapours: 3 mg/l/4h |

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## SECTION 4. First aid measures

**4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.
SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.
INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.
INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

**4.2. Most important symptoms and effects, both acute and delayed**

Specific information on symptoms and effects caused by the product are unknown.

**4.3. Indication of any immediate medical attention and special treatment needed**

Information not available

## SECTION 5. Firefighting measures

**5.1. Extinguishing media**

SUITABLE EXTINGUISHING EQUIPMENT
The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.
UNSUITABLE EXTINGUISHING EQUIPMENT
None in particular.

**5.2. Special hazards arising from the substance or mixture**

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE
Do not breathe combustion products.

**5.3. Advice for firefighters**

GENERAL INFORMATION
Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.
SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS
Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained

open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## SECTION 6. Accidental release measures

**6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.
Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

**6.2. Environmental precautions**

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

**6.3. Methods and material for containment and cleaning up**

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.
Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

**6.4. Reference to other sections**

Any information on personal protection and disposal is given in sections 8 and 13.

## SECTION 7. Handling and storage

**7.1. Precautions for safe handling**

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

**7.2. Conditions for safe storage, including any incompatibilities**

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

**7.3. Specific end use(s)**

Information not available

## SECTION 8. Exposure controls/personal protection

**8.1. Control parameters**

| | |
|---|---|
| Deutschland | Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56 |
| Regulatory references: | |

DEU

| | | |
|---|---|---|
| ESP | España | Límites de exposición profesional para agentes químicos en España 2021 |
| SWE | Sverige | Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS 2018:1) |
| TUR | Türkiye | Kimyasal Maddelerle Çalışmalarda Sağlık ve Güvenlik Önlemleri Hakkında Yönetmelik 12.08.2013 / 28733 |
| GBR | United Kingdom | EH40/2005 Workplace exposure limits (Fourth Edition 2020) |
| EU | OEL EU | Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC. |
| | TLV-ACGIH | ACGIH 2022 |

**SODIUM HYDROXIDE**

**Threshold Limit Value**

| Type | Country | TWA/8h | | STEL/15min | | Remarks / Observations |
|---|---|---|---|---|---|---|
| | | mg/m3 | ppm | mg/m3 | ppm | |
| VLA | ESP | | | 2 | | |
| NGV/KGV | SWE | 1 | | 2 | | INHAL |
| WEL | GBR | | | 2 | | |
| TLV-ACGIH | | | | 2 (C) | | |

**2-BUTOXYETHANOL**

**Threshold Limit Value**

| Type | Country | TWA/8h | | STEL/15min | | Remarks / Observations | |
|---|---|---|---|---|---|---|---|
| | | mg/m3 | ppm | mg/m3 | ppm | | |
| AGW | DEU | 49 | 10 | 98 (C) | 20 (C) | SKIN | |
| MAK | DEU | 49 | 10 | 98 | 20 | SKIN | Hinweis |
| VLA | ESP | 98 | 20 | 245 | 50 | SKIN | |
| NGV/KGV | SWE | 50 | 10 | 246 | 50 | SKIN | |
| ESD | TUR | 98 | 20 | 246 | 50 | SKIN | |
| WEL | GBR | 123 | 25 | 246 | 50 | SKIN | |
| OEL | EU | 98 | 20 | 246 | 50 | SKIN | |
| TLV-ACGIH | | 97 | 20 | | | | |

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

**8.2. Exposure controls**

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.
When choosing personal protective equipment, ask your chemical substance supplier for advice.
Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.
The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.
The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION
Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION
Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION
If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.
Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.
If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS
The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## SECTION 9. Physical and chemical properties

**9.1. Information on basic physical and chemical properties**

| | Value | Information |
|---|---|---|
| **Properties** | | |
| Appearance | not available | |
| Colour | not available | |
| Odour | not available | |
| Melting point / freezing point | not available | |
| Initial boiling point | not available | |
| Flammability | not available | |
| Lower explosive limit | not available | |
| Upper explosive limit | not available | |
| Flash point | not available | |
| Auto-ignition temperature | not available | |
| Decomposition temperature | not available | |
| pH | not available | |
| Kinematic viscosity | not available | |
| Solubility | not available | |
| Partition coefficient: n-octanol/water | not available | |
| Vapour pressure | not available | |
| Density and/or relative density | not available | |
| Relative vapour density | not available | |
| Particle characteristics | not applicable | |

**9.2. Other information**

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

## SECTION 10. Stability and reactivity

**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

2-BUTOXYETHANOL

Decomposes under the effect of heat.

**10.2. Chemical stability**

The product is stable in normal conditions of use and storage.

**10.3. Possibility of hazardous reactions**

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-BUTOXYETHANOL

May react dangerously with: aluminium,oxidising agents.Forms peroxides with: air.

**10.4. Conditions to avoid**

None in particular. However the usual precautions used for chemical products should be respected.

SODIUM HYDROXIDE

Avoid exposure to: air,moisture,sources of heat.

2-BUTOXYETHANOL

Avoid exposure to: sources of heat,naked flames.

**10.5. Incompatible materials**

SODIUM HYDROXIDE

Incompatible with: strong acids,ammonia,zinc,lead,aluminium,water,flammable liquids.

**10.6. Hazardous decomposition products**

2-BUTOXYETHANOL

May develop: hydrogen.

## SECTION 11. Toxicological information

> 20 mg/l

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.
It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

| | |
|---|---|
| ATE (Inhalation - vapours) of the mixture: | |
| ATE (Oral) of the mixture: | >2000 mg/kg |
| ATE (Dermal) of the mixture: | Not classified (no significant component) |
| | 1350 mg/kg Rat |

SODIUM HYDROXIDE

| | |
|---|---|
| LD50 (Dermal): | |
| LD50 (Oral): | 1350 mg/kg Rat |
| | 1200 mg/kg Guinea pig |

2-BUTOXYETHANOL

| | |
|---|---|
| LD50 (Oral): | |
| LC50 (Inhalation vapours): | 3 mg/l/4h Rat |
| | > 2000 mg/kg Rat |

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

| | |
|---|---|
| LD50 (Dermal): | |
| LD50 (Oral): | 2870 mg/kg Rat |

SKIN CORROSION / IRRITATION

Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

**11.2. Information on other hazards**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

## SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

**12.1. Toxicity**

| | |
|---|---|
| ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS | |
| LC50 - for Fish | 7.1 mg/l/96h Danio rerio |
| EC50 - for Crustacea | 7.4 mg/l/48h Daphnia magna |
| EC50 - for Algae / Aquatic Plants | 27.7 mg/l/72h Desmodesmus subspicatus |
| Chronic NOEC for Fish | 0.14 mg/l Oncorhynchus mykiss |

| | |
|---|---|
| Chronic NOEC for Crustacea | 0.27 mg/l Daphnia magna |
| Chronic NOEC for Algae / Aquatic Plants | 0.95 mg/l Desmodesmus subspicatus |

**12.2. Persistence and degradability**

| | |
|---|---|
| SODIUM HYDROXIDE | |
| Solubility in water | > 10000 mg/l |
| Degradability: information not available | |
| 2-BUTOXYETHANOL | |
| Solubility in water | 1000 - 10000 mg/l |
| Rapidly degradable | |
| ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS | |
| Solubility in water | 2800 mg/l |
| Rapidly degradable | |

**12.3. Bioaccumulative potential**

| | |
|---|---|
| 2-BUTOXYETHANOL | |
| Partition coefficient: n-octanol/water | 0.81 |
| ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS | |
| Partition coefficient: n-octanol/water | 0.3 |

**12.4. Mobility in soil**

| | |
|---|---|
| ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS | |
| Partition coefficient: soil/water | 0.34 |

**12.5. Results of PBT and vPvB assessment**

On the basis of available data, the product does not contain any PBT or vPvB in percentage than 0,1%.

**12.6. Endocrine disrupting properties**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

**12.7. Other adverse effects**

Information not available

## SECTION 13. Disposal considerations

**13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be

evaluated according to applicable regulations.
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.
CONTAMINATED PACKAGING
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

**14.1. UN number or ID number**

not applicable

**14.2. UN proper shipping name**

not applicable

**14.3. Transport hazard class(es)**

not applicable

**14.4. Packing group**

not applicable

**14.5. Environmental hazards**

not applicable

**14.6. Special precautions for user**

not applicable

**14.7. Maritime transport in bulk according to IMO instruments**

Information not relevant

## SECTION 15. Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

3

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point

75

Contained substance

Point

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

**15.2. Chemical safety assessment**

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

## SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

| | |
|---|---|
| | Acute toxicity, category 3 |
| **Acute Tox. 3** | |
| **Acute Tox. 4** | Acute toxicity, category 4 |
| **Skin Corr. 1A** | Skin corrosion, category 1A |
| **Eye Dam. 1** | Serious eye damage, category 1 |
| **Eye Irrit. 2** | Eye irritation, category 2 |
| **Skin Irrit. 2** | Skin irritation, category 2 |
| **Aquatic Chronic 3** | Hazardous to the aquatic environment, chronic toxicity, category 3 |
| **H331** | Toxic if inhaled. |
| **H302** | Harmful if swallowed. |
| **H314** | Causes severe skin burns and eye damage. |
| **H318** | Causes serious eye damage. |
| **H319** | Causes serious eye irritation. |
| **H315** | Causes skin irritation. |
| **H412** | Harmful to aquatic life with long lasting effects. |